

TEST REPORT

LAB NO. : (9323)062-0848 DATE : Mar 07, 2023

PAGE : 1 OF 6

APPLICANT : GUANGZHOU NEWLIFE MAGNETICS CO., LTD

NO.1 XINKE ROAD, NINGXI STREET, ZENGCHENG

DISTRICT, GUANGZHOU CHINA

CONTACT PERSON : /

DATE OF SUBMISSION: Mar 03, 2023

TEST PERIOD : Mar 03, 2023 to Mar 07, 2023

SAMPLE DESCRIPTION: Flexible Magnet(Barium)

Color: /

Style no. / Model no.:

P.O. No.:

Country of Origin: /

Country of Destination:

MANUFACTURER : GUANGZHOU NEWLIFE MAGNETICS CO., LTD

NO.1 XINKE ROAD, NINGXI STREET, ZENGCHENG

DISTRICT, GUANGZHOU CHINA

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION	REMARK
Phthalates Content	PASS	

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

ITEM	ITEM DESCRIPTION	
1	Dark brown flexible magnet	

RW

Bureau Veritas Consumer Products Services (Guangzhou) Co., Ltd

No. 183, Shinan Road, Meilin Plaza, Dongchong, Nansha, Guangzhou, Guangdong Province, China 511453

Tel: (86) 20 2290 2088 Fax: (86) 20 3490 9303 Email: BVCPS_pyinfo@bureauveritas.com Website: cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material from caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report contents.



PAGE : 2 OF 6

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (GUAN ZHOLLE)

KENNY WANG OPERATION MANAGER

REMARK

If there are questions or concerns on this report, please contact the following persons:

a) GENERAL TEL: (86)755 83437287 FAX: (86)755 83439100 b) BUSINESS SZ TEL: (86)755 21534695 FAX: (86)755 83439100 BUSINESS GZ TEL: (86) 20 87148525 FAX: (86) 20 87148528


EMAIL: eechemical.sc@bureauveritas.com

WEBSITE cps.bureauveritas.cn



PAGE : 3 OF 6

Photo of the Submitted Sample





PAGE : 4 OF 6

TEST RESULT

Phthalates Content

Test Method: Sample was extracted with organic solvent and then analyzed by Liquid

Chromatograph Mass Spectrometer / Gas Chromatograph Mass Spectrometer.

Client's Limit: 0.1% (Each)

Tog4 140(a)	Result			Complexion
Test Item(s)	Detected Analyte(s)	Conc.	Unit	Conclusion
1	ND	ND	%	PASS

Note / Key:

ND = Not detected ">" = Greater than Conc. = Concentration

 $mg/kg = milligram(s) \ per \ kilogram = ppm = part(s) \ per \ million \\ \% = percent$

 $1 \% = 10\ 000\ \text{mg/kg}$

Detection Limit (%) - Each: 0.005

Remark:

- The list of phthalates is summarized in table of Appendix.



PAGE : 5 OF 6

APPENDIX

List	List of Phthalates:								
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.				
1	Dibutyl phthalate (DBP)	84-74-2	10	Dinonyl phthalate (DNP)	84-76-4				
2	Butyl benzyl phthalate (BBP)	85-68-7	11	Diisooctyl phthalate (DIOP)	27554-26-3				
3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7	12	Di-n-hexyl phthalate (DnHP)	84-75-3				
4	Di-n-octyl phthalate (DNOP)	117-84-0	13	Dipropyl phthalate (DPrP)	131-16-8				
5	Di-iso-decyl phthalate (DIDP)	26761-40-0 & 68515-49-1	14	Dicyclohexyl phthalate (DCHP)	84-61-7				
6	Di-iso-nonyl phthalate (DINP)	28553-12-0 & 68515-48-0	15	Dipentyl phthalate (DnPP/DPENP)	131-18-0				
7	Dimethyl phthalate (DMP)	131-11-3	16	Dibenzyl phthalate (DBzP)	523-31-9				
8	Diethyl phthalate (DEP)	84-66-2	17	diphenyl phthalate (DPhP)	84-62-8				
9	Diisobuty phthalate (DIBP)	84-69-5	-	-	-				



LAB NO. : (9323)062-0848 DATE : Mar 07, 2023 PAGE : 6 OF 6

APPENDIX – TEST PROCESS

Sample weight measurement

Extraction with organic solvent

Filtration through syringe filter

GC-MS / LC-MS analysis

END